



Tank fire engine



Data sheet



Feuerwehrtechnik Berlin

Tabbertstraße 12 A

12459 Berlin

Tel. 030-530 177 56

MAN TLF 4000 ON MAN 18.320

4X4, SINGLE TIRES

WATER TANK 4,000 LITERS

FOAM TANK 400 LITERS



Data sheet/ vehicle description

TLF4000 ON MAN 18.320



Chassis

- MAN 18.320
- Engine power: 320 HP
- Euro: Euro VI
- Fuel: Diesel
- Gearbox: Automatic gearbox
- 4x4, single tires

Pump

- Normal pressure: 2,800 L/min
- High pressure: 588 L/min
- Auxiliary heating
- Foam proportioning system

Cabin

- Crew (1 + 1 + 4)
- MAN crew cab
- RAL 3000 fire red
- Pin assignment: 12V/24V
- Auxiliary heating

Lighting system

- Ambient lighting
- Equipment room lighting
- Pump room lighting
- Cabin lighting
- Roof lighting
- Auxiliary headlights
- Pneumatic LED light mast with remote control

Superstructure

- Frame construction
- Made of stainless and corrosion-free material
- Stainless steel brackets
- Roof: walkable/non-slip
- Roof box with LED lighting

Data sheet/ vehicle description

TLF4000 ON MAN 18.320



Equipment rooms

- 3 equipment compartments each (left and right)
- 1 pump room (rear)
- Continuous equipment compartment from G1 - G2 (loading facility for TS powder extinguishing system etc.)
- Generous storage space
- Secure fastening of the load
- Made from stainless material

Special signaling system

- LED mini beams or comparable
- LED front flasher on the hood
- LED on the rear body or comparable
- Martins horn signaling system or comparable
- Loudspeaker (100 watts) and announcement option

All lighting units are secured against mechanical damage.

Further equipment

- Electrical rapid intervention device > High pressure with 50 m dimensionally stable hose
- Roof foam/water cannon 2000L/min
- Pump & roll
- Self-protection system (for extinguishing embankment fires or for wetting roadways and paths)
- Hygiene board on request
- Load maintenance
- Air conditioning
- Ambient lighting
- Illuminated controls
- Reversing camera
- Off-road tires - single tires
- Spare wheel

Data sheet

Pictures



Feuerwehrtechnik Berlin

Tabbertstraße 12 A

12459 Berlin

Tel. 030-530 177 56



Data sheet

Pictures



Feuerwehrtechnik Berlin

Tabbertstraße 12 A

12459 Berlin

Tel. 030-530 177 56



Front lighting fuse



Rear fuse protection



Stainless steel subframe, stainless steel water pipe



Pump operation according to your wishes



Stainless-steel hinges



Tilttable drawers to suit your requirements



Offer

TLF4000 with the following specifications:

Extinguishing water tank with a capacity of 4,000 liters + 400 liters of foam

3 equipment compartments on each side of the vehicle.
The equipment compartments are lowered and closed in the lower part closed at the bottom by side wall flaps, which also serve as steps.

FP 10/4000 centrifugal fire pump,
50 m rapid intervention hose on reel in G6 above, with electric rewind.

Light mast with **2x 1000W** floodlights (LED technology),
pneumatically extendable to a minimum light point height of 5.5 m above the ground,
Can be tilted **40°** upwards and downwards, can be rotated **180°** to the right and left.

Compliance with the applicable UVV, standards and STVZO as well as all applicable regulations.

**The vehicle on MAN 18.320,
4x4, staggered cab,
is available for immediate delivery.**

We attach great importance to professionalism and first-class customer service.
We install your equipment where you have always wanted it.
Furthermore, we are happy to adapt your existing load to the new vehicle.
We also look forward to your further requests.

Our vehicles are usually manufactured within 8–12 weeks.
We are unbeatable in terms of price and do not cut corners when it comes to quality.

We are always available for questions and suggestions, just like the fire department.

You are cordially invited to a test drive and viewing in Berlin.
If you are traveling by train or plane, we will of course pick you up.

We look forward to hearing from you.
Feuerwehrtechnik Berlin

